EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	790	(187/411,412,345-347). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2011/07/26 19:37
L2	53	1 and @pd>"20061201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/07/26 19:37
S27	13	("0249076" | "0673301" | "0688601" | "0700458" | "1929672" | "1932060" | "3674117").PN. OR ("5307904").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/03 15:36
S28	1	("5878847").PN.	USPAT	OR	OFF	2006/12/03 15:36
S29	2	("6216824").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/03 15:49
S30	14	("1386253" | "5027925" | "5542501" | "5635689" | "5750945" | "5811743" | "5824975" | "5852264" | "5862888" | "5896949" | "5929399").PN. OR ("6216824").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/03 16:03
S31	2	("6123176").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/04 12:52
S32	5	("3672214" | "4467895" | "5731528" | "5886308" | "5890564").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/04 12:53
S33	89	187/264	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/04 12:55
S34	50	187/412	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/04 12:55

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

L4	0	((elevat$3 lift$3 hoist$3) and (counter$1weigh$3 balanc$3 mass weigh$3) and (load$1bear$3 load$1carr$4 support$3 tension$3 elongat$3) and (1:1 (mov$3 travel$4 oppos$5 upward$3 downward$3) near2 (direction$4 oppos$5 upward$3 downward$3) rise fall) near6 (ca$2 carriage basket) and (hitch$3 dead$1end terminat$3 distal end) near10 ((first second one $2other) and (bias$3 spring elastic) and (passive non$1active$2) and tension and (threshold limit$5 value))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/07/26 19:47
L5	0	((elevat$3 lift$3 hoist$3) and (counter$1weigh$3 balanc$3 mass weigh$3) and (load$1bear$3 load$1carr$4 support$3 tension$3 elongat$3) and (1:1 (mov$3 travel$4 oppos$5 upward$3 downward$3) and (direction$4 oppos$5 upward$3 downward$3) rise fall) near10 (ca$2 carriage basket) and (hitch$3 dead$1end terminat$3 distal end) near10 ((first second$3 one $2other) and (bias$3 spring elastic) and (passive non$1active$2) and tension and (threshold limit$5 value))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/07/26 19:49

L6	5	((elevat$3 lift$3 hoist$3) and (counter$1weigh$3 balanc$3 mass weigh$3) and (load$1bear$3 load$1carr$4 support$3 tension$3 elongat$3) and (1:1 (mov$3 travel$4 oppos$5 upward$3 downward$3) and (direction$4 oppos$5 upward$3 downward$3) rise fall) near10 (ca$2 carriage basket) and (hitch$3 dead$1end terminat$3 distal end) near10 ((first second$3 one$2other) and (bias$3 spring elastic) and tensi$2 and (threshold limit$5 value))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/07/26 19:50
L7	1	((elevat$3 lift$3 hoist$3) and (counter$1weigh$3 balanc$3 mass weigh$3) and (cable rop$3) and (1:1 (mov$3 travel$4 oppos$5 upward$3 downward$3) and (direction$4 oppos$5 upward$3 downward$3) rise fall) near10 (ca$2 carriage basket) and (hitch$3 dead$1end terminat$3 distal end) near10 ((first second$3 one$2other) and (bias$3 spring elastic) and tensi$2 and (threshold limit$5 value))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/07/26 19:52

7/26/2011 7:54:21 PM
C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search- Shock Absorbing Hitch - 10564873.wsp